


NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

CRC Boat Trailer Wheel Bearing Grease***OBSOLETE***

| INGREDIENTS | CAS NO | % | TWA |
|---|-------------|---------|-----------|
| naphthenic distillate, heavy, hydrotreated (severe) | 64742-52-5. | 50-70 | 5 mg/m3 |
| C.I. Pigment White 6 | 13463-67-7 | 0.2-1 | 0.2 mg/m3 |
| calcium dinonyl naphthalenesulfonate | 57855-77-3 | 0.5-1.5 | - |
| residual oils, petroleum, solvent-refined (severe) | 64742-01-4. | }10-30 | 5 mg/m3 |

| GHS | DG |
|---|---|
|  | <p>UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Hazard: Not Applicable Packing Group: Not Applicable</p> |

PROPERTIES



Liquid. Does not mix with water. Floats on water. Combustible.

EMERGENCY



HEALTH HAZARD INFORMATION



| | |
|--|--|
| Determined by Chemwatch using GHS/HSNO criteriaGazetted by EPA New Zealand | 6.4A, 9.1C |
| Signal word: | Warning |
| Hazard statement(s): | H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. |

PRECAUTIONS FOR USE




| | |
|-----------------------------------|---|
| Appropriate engineering controls: | Local Exhaust Ventilation recommended. |
| Glasses: | Consider chemical goggles. |
| Gloves: | PVC chemical resistant type. |
| Respirator: | Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent) |
| Storage and Transportation: | Store in cool, dry, protected area. Keep out of reach of children. |
| Fire/Explosion Hazard: | Toxic smoke/fumes in a fire. |

FIRST AID

| | |
|-----------------------------|--|
| Swallowed: | Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol. |
| Eye: | Wash with running water. |
| Skin: | Remove contaminated clothing. Wash with soap & water. |
| Inhaled: | Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention. |
| Advice To Doctor: | Emesis generally unnecessary. Debride for subcutaneous injection. Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin. |
| Fire Fighting: | Foam. |
| Spills and Disposal: | Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. |

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together

0 — May be stored together with specific preventions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

Chemwatch: 17-9114
 Print Date: 10/04/2026
 Initial Date: Not Available
 Revision Date: 20/03/2024