


CRC Anti-Spatter Waterbased Aerosol

INGREDIENTS	CAS NO	%	TWA
paraffinic distillate, heavy, solvent-dewaxed (severe)	64742-65-0.	<1	5 mg/m3
dimethyl ether	115-10-6	20-25	766 mg/m3
ethanol	64-17-5	0-5	380 mg/m3
benzaldehyde	100-52-7	<0.1	-

GHS	DG
Not Applicable	 <p>UN No: 1950 Hazchem Code: Not Applicable DG Class: 2.2 Subsidiary Hazard: Not Applicable Packing Group: Not Applicable</p>

PROPERTIES



Liquid. Gas. Mixes with water. Non-combustible.

EMERGENCY



FIRST AID

Eye:	Wash with running water (minimum 15 mins). Medical attention.
Skin:	Wash with soap & water. Apply cleansing cream.
Fire Fighting:	Keep containers cool. Keep surrounding area cool. Water spray/fog.
Spills and Disposal:	Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way.

HEALTH HAZARD INFORMATION

Determined by Chemwatch using GHS/HSNO criteria Gazetted by EPA New Zealand	
Signal word:	Warning
Hazard statement(s):	H229 Pressurised container: May burst if heated.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together

0 — May be stored together with specific preventions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

PRECAUTIONS FOR USE



Gloves:	1.NITRILE+PVC 2.PE/EVAL/PE
Respirator:	Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep away from heat.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement.

Chemwatch: 77-6823
 Print Date: 10/04/2026
 Initial Date: Not Available
 Revision Date: 10/10/2025