CRC

GREENLIGHT™

FOOD SAFETY PROGRAM

ASSISTS AUDIT COMPLIANCE

FOOD GRADE WATER BASED SILICONE

PRODUCT CODE: FG03035



This document contains:

- SDS
- TDS
- MPI Approvals
- Allergen Certificate
- NSF Certificate

MPI Approved
For use at Farm Dairies and in Dairy processing

MPI Approved C15
All Animal Product Except Dairy

NSF H1

Scan for Product Compliance

Disclaimer: Safety Data Sheet (SDS) is valid for 5 years only from the date of issue. MPI certification is also valid for 5 years from date of issue. Please scan QR code to validate this product's latest documents.

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name **CRC WATER BASED SILICONE 12X13OZ**

Synonyms CRC WATER BASED SILICONE

1.2 Uses and uses advised against

Uses GREASE ● LUBRICANT

1.3 Details of the supplier of the product

Supplier name **CRC INDUSTRIES (NEW ZEALAND)**

Address 10 Highbrook Dr, East Tamaki, AUCKLAND, NEW ZEALAND

Telephone +64 9 272 2700

Fax +64 9 274 9696

Email customerservices@crc.co.nz

Website http://www.crc.co.nz

1.4 Emergency telephone numbers

NZ Poisons Centre 0800 764 766

NZ Emergency Services 111

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

HAZARDOUS ACCORDING TO NZ ENVIRONMENTAL PROTECTION AUTHORITY CRITERIA

Physical Hazards

Aerosols - Pressurised: Category 3

Health Hazards

Not classified as a Health Hazard

Environmental Hazards

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word **WARNING**

Pictograms

Hazard statements

H229 Pressurized container: may burst if heated.

Prevention statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

Response statements

None allocated.

Storage statements

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Disposal statements
None allocated.

2.3 Other hazards
No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
WHITE MINERAL OIL (PETROLEUM)	8042-47-5	232-455-8	10 to 20%
PETROLEUM GASES, LIQUEFIED, SWEETENED (<0.1% 1,3-BUTADIENE)	68476-86-8	270-705-8	8 to 12%
DIMETHYL SILOXANE	63148-62-9	613-156-5	2 to 5%
WATER	7732-18-5	686-299-4	70 to 80%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Ingestion For advice, contact the National Poisons Centre on 0800 764 766 (0800 POISON) or +643 479 7248 or a doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

First aid facilities Normal washroom facilities should be available.

4.2 Most important symptoms and effects, both acute and delayed
See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed
Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media
Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture
Non flammable. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Aerosol may explode at temperatures exceeding 50°C.

5.3 Advice for firefighters
Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code
None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel.

6.2 Environmental precautions
Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If aerosol can damaged or leaking, contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

No exposure standards have been entered for this product.

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face	Wear splash-proof goggles.
Hands	Wear PVC or rubber gloves.
Body	Not required under normal conditions of use.
Respiratory	Not required under normal conditions of use.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	CREAMY WHITE LIQUID (AEROSOL DISPENSED)
Odour	SOLVENT ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Relative density	0.97
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT AVAILABLE
Lower explosion limit	NOT AVAILABLE

9.1 Information on basic physical and chemical properties

Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur under normal conditions.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity This product is expected to be of low toxicity. Based on available data, the classification criteria are not met. This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents).

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
WHITE MINERAL OIL (PETROLEUM)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)	5 mg/L/4hrs (rat)
DIMETHYL SILOXANE	> 17000 mg/kg (rat)	> 2000 mg/ kg (rabbit)	--

Skin Not classified as a skin irritant. Contact may result in mild irritation.

Eye Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity No evidence of mutagenic effects.

Carcinogenicity No evidence of carcinogenic effects.

Reproductive No relevant or reliable studies were identified.

STOT - single exposure Not classified as causing organ damage from single exposure. This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents). High level exposure may result in nausea, dizziness and drowsiness.

STOT - repeated exposure Not classified as causing organ damage from repeated exposure.

Aspiration Ingestion is considered unlikely due to product form.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability
No information provided.

12.3 Bioaccumulative potential
No information provided.

12.4 Mobility in soil
No information provided.

12.5 Other adverse effects
No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Waste disposal Dispose of to landfill. Do not puncture or incinerate aerosol cans. Contact the manufacturer/supplier for additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005, IMDG AND IATA



	LAND TRANSPORT (NZS 5433)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1950	1950	1950
14.2 Proper Shipping Name	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class	2.2	2.2	2.2
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards
Not a Marine Pollutant.

14.6 Special precautions for user
Hazchem code None allocated.

EmS F-D, S-U

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Approval code HSR002519 (2020)

Group standard Aerosols (Subsidiary Hazard) Group Standard 2020

Inventory listings

AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)
All components are listed on AIIC, or are exempt.
NEW ZEALAND: NZIoC (New Zealand Inventory of Chemicals)
All components are listed on the NZIoC inventory, or are exempt.
UNITED STATES: TSCA (US Toxic Substances Control Act)
All components are listed on the TSCA inventory, or are exempt.

16. OTHER INFORMATION

Additional information

AEROSOL CANS may explode at temperatures approaching 50°C.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:
The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:
It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CCID	Chemical Classification and Information Database (HSNO)
CNS	Central Nervous System
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
EPA	Environmental Protection Authority [New Zealand]
GHS	Globally Harmonized System
HSNO	Hazardous Substances and New Organisms
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
TLV	Threshold Limit Value
TWA	Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmtglobal.com
Web: www.rmtglobal.com

[End of SDS]

CRC GREENLIGHT™ FOOD SAFETY PROGRAM
ASSISTS AUDIT COMPLIANCE

TECHNICAL DATA SHEET

CRC Food Grade Water Based Silicone



CRC Food Grade Water Based Silicone is a non-flammable, multi-purpose silicone spray for food processing and handling applications.

It forms a white emulsion that is a non-staining film that lubricates and protects in most metal-to-non-metal applications.

CRC Water Based Silicone is a silicone rich formula that eliminates binding and sticking, while protecting most surfaces.

NSF H1 Registered for incidental food contact. MPI Approved C15 for all animal product except dairy. MPI Approved for use at farm dairies and in dairy processing.

Item Code: FG03035 **Pack Size: 369g Aerosol**

Features and Benefits

- **Eliminates sticking & binding:** While protecting most surfaces
- **Non-hardening film:** Minimises corrosion & provides excellent lubricity
- **Reduces galling & friction:** Eases metal-to-non-metal contact areas
- **Harmless to most rubbers & plastics**
- **NSF H1 Registered** for incidental food contact
- **MPI Approved C15** for all animal product except dairy
- **MPI Approved** for use at farm dairies and in dairy processing

Applications

Food processing & handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, linkages, locks, pulleys, timers, rubber seals, tools, & ceramic insulators.

Typical Properties and Characteristics

Flash Point	N/A
Boiling Point	N/A
Odour	Solvent
Appearance	Creamy white liquid
Solubility	Insoluble in water
Specific Gravity	0.97

Vapour Density	N/A
VOC Content	94.8 g/L
pH	9.8
Flammability	Non-flammable
Propellant	Hydrocarbon

Directions

1. Do not apply while equipment is energized.
2. Shake can before using.
3. Hold can 20-30 cm away from the surface to be sprayed.
4. Use extension tube for pinpoint accuracy.

Special Precautions

General:
Pressurised container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Refer to **Safety Data Sheet** for more details.

Product Warranty or Shelf Life

CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

Contact Information

CRC Industries NZ
10 Highbrook Dr, East Tamaki
Auckland, New Zealand

www.crc.co.nz
PH: 09 272 2700
Email: info.nz@crcind.com

Disclaimer: All information on this data sheet is based on testing by CRC Industries NZ. All products should be tested for suitability on a particular application prior to actual use. CRC Industries NZ makes no representations or warranties of any kind concerning this data.

Maintenance Compound MC0005062 - Application Approved

From noreply@salesforce.com <noreply@salesforce.com>
on behalf of
Melina Takau-Samson <approvals@mpi.govt.nz>
Date Tue 6/30/2026 2:46 PM
To Natasha Gill <natasha.gill@crcind.com>
Cc melina.takau-samson@mpi.govt.nz <melina.takau-samson@mpi.govt.nz>

Attention: This email was sent from someone outside of CRC Industries. Always use caution when opening attachments or clicking links from unknown senders or when receiving unexpected emails.



Maintenance Compound: CRC Industries New Zealand, MC0005062

I refer to your application dated 11 May 2026.

Your application has been approved under Regulation 247 of the Animal Products Regulations 2021 and Regulation 43 of the Raw Milk for Sale Consumers Regulations 2015, and satisfies the requirements of Regulations 12, 13, 14, 53 of the Animal Products Regulations 2021, when used in accordance with the label.

This approval expires on 30 June 2031. Renewal before the end of this period is your responsibility. MPI will aim to send you a reminder email to renew your registration. Please ensure you notify MPI if your email and/or postal address changes. If you do not renew your approval, continued operation may be in breach of the Animal Products Act 1999.

Approval MPI ID number
Your unique approval MPI ID number is MC0005062.

Please always use the MPI ID number above in all your communications with MPI about this approval.

Scope and Condition(s)

Scope	
Product Name	Food Grade Water Based Silicone
Product Material	Dairy maintenance compound
Intended Use	Farm dairies and dairy processors

Approval is subject to the following conditions.

Conditions	
DC7 Grease, lubricant, release agent (not for use on/near food contact surfaces)	1. This must be used in accordance with label instructions as a lubricant. 2. This must not be used on milk or food contact surfaces. 3. This must not be used in close proximity to exposed milk or milk contact surfaces, food or food contact surfaces, and food contact packaging. 4. The method of use must ensure that milk or milk contact surfaces, food or food contact surfaces, and food contact packaging are not adversely affected. 5. The amount used must be the minimum required to accomplish the technical effect. 6. If incidental contact with a milk or food contact surface occurs, the surface must be cleaned and thoroughly rinsed with suitable water to ensure no residue remains.

Public Register
The approval can be viewed on the MPI public register: https://www.mpi.govt.nz/food-business/food-safety-registers-lists/register-of-approved-maintenance-compounds.

The register is also open for public inspection at the Ministry for Primary Industries head office, or you can write to MPI Approvals to request a copy.

You must notify MPI in writing of any change to your approval.

Sign up for MPI updates: MPI provides an e-mail notification service for any website updates to standards, legislation, and export requirements. MPI recommends you and your relevant staff subscribe to receive these notifications. To sign up to receive notifications go to https://www.mpi.govt.nz/news-and-resources/subscribe-to-mpi/ and select topics of interest.

Regards

Shaleen Narayan | Manager Approvals, Approvals

(Acting under delegated authority)
Regulatory Support & Performance | New Zealand Food Safety
Ministry for Primary Industries - ManatÅ« Ahu Matua | 9429000096157
Charles Fergusson Building, 34-38 Bowen Street PO Box 2526 | Wellington 6140 | New Zealand | Web: www.mpi.govt.nz

This email has been scanned for virusses/malware/spam by www.forcepoint.com

Click here to report this email as spam, or contact your regional IT department.

Maintenance Compound MC0005063 - Application Approved

From noreply@salesforce.com <noreply@salesforce.com>
on behalf of
Thushara Susan Sabu <approvals@mpi.govt.nz>
Date Fri 5/15/2026 10:12 AM
To Natasha Gill <natasha.gill@crcind.com>
Cc thusharasusan.sabu@mpi.govt.nz <thusharasusan.sabu@mpi.govt.nz>

Attention: This email was sent from someone outside of CRC Industries. Always use caution when opening attachments or clicking links from unknown senders or when receiving unexpected emails.

MAPS_CORRESPONDENCE_CONFIGURATION_MPI_LOGO_URL

Maintenance Compound: CRC Industries New Zealand, MC0005063

I refer to your application dated 11 May 2026.

Your application has been approved under Regulation 247 of the Animal Products Regulations 2021 and Regulation 18 of the Animal Products (Regulated Control Scheme – Limited Processing Fishing Vessels) Regulations 2001, and satisfies the requirements of Regulations 12, 13, 14, 53 of the Animal Products Regulations 2021, when used in accordance with the label.

This approval expires on 15 May 2031. Renewal before the end of this period is your responsibility. MPI will aim to send you a reminder email to renew your registration. Please ensure you notify MPI if your email and/or postal address changes. If you do not renew your approval, continued operation may be in breach of the Animal Products Act 1999.

Approval MPI ID number
Your unique approval MPI ID number is MC0005063.

Please always use the MPI ID number above in all your communications with MPI about this approval.

Scope and Condition(s)

Scope	
Product Name	Food Grade Water Based Silicone
Product Material	Non-dairy maintenance compound
Intended Use	Non-dairy processing

Approval is subject to the following conditions.

Conditions	
C 15 Lubricant or Solvent	1. This can be used during processing of food to lubricate moving parts of equipment when the lubricated surface is either an integral part of the food contact surface, or where contamination could result from bearing seal leakage. 2. The amount used should be the minimum required to accomplish the technical effect. 3. The equipment must be maintained, including the application of lubricants, according to the specifications of the equipment manufacturer. 4. The lubricated surface must be maintained according to requirements for sanitation of food contact surfaces. Where necessary the relevant parts of the equipment must be dismantled to inspect the adequacy of cleaning. 5. If incidental contact with a food contact surface occurs, the surface must be thoroughly cleaned and rinsed with suitable water to ensure that no residue remains that could be transferred to food or edible product. This is also approved for C 11 and C 13 applications.

Public Register
The approval can be viewed on the MPI public register: https://www.mpi.govt.nz/food-business/food-safety-registers-lists/register-of-approved-maintenance-compounds.

The register is also open for public inspection at the Ministry for Primary Industries head office, or you can write to MPI Approvals to request a copy.

You must notify MPI in writing of any change to your approval.

Sign up for MPI updates: MPI provides an e-mail notification service for any website updates to standards, legislation, and export requirements. MPI recommends you and your relevant staff subscribe to receive these notifications. To sign up to receive notifications go to https://www.mpi.govt.nz/news-and-resources/subscribe-to-mpi/ and select topics of interest.

Regards

Shaleen Narayan | Manager Approvals, Approvals

(Acting under delegated authority)
Regulatory Support & Performance | New Zealand Food Safety
Ministry for Primary Industries - ManatÅ« Ahu Matua | 9429000096157
Charles Fergusson Building, 34-38 Bowen Street PO Box 2526 | Wellington 6140 | New Zealand | Web: www.mpi.govt.nz

This email has been scanned for virusses/malware/spam by www.forcepoint.com

Click here to report this email as spam, or contact your regional IT department.

CRC Industries, Inc.
Global Headquarters: 800 Enterprise Road, Suite 101 | Horsham, PA 19044 | 215.674.4300
Manufacturing and R&D Center: 885 Louis Drive | Warminster, PA 18974 | 215.674.4300

ALLERGEN CERTIFICATE

Date: **12-Jun-19**

Product Name: **Water Base Silicone**

Product Code: **No. 03035 (Item# 1003289)**

CRC has evaluated the above product against a list of internationally recognized and regulated allergens. The following information is provided to assist our customers in complying with allergen safety programs.

Allergen	Present in Product	Present on Same Production Line	Present in Facility
Dairy / Milk	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Soy	☐Yes / ☒No	☒Yes / ☐No	☒Yes / ☐No
Peanut	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Egg	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Tree Nut (almonds, brazil nuts, cashews, hazelnuts, macadamia nuts, pecans, pine nuts, pistachio nuts and walnuts)	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Sesame Seed	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Mustard Seed	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Gluten (wheat, barley, oats, rye)	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Seafood (fish, crustacean and molluscan shellfish)	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Sulfites	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Buckwheat	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Celery	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Lupin	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Bee pollen / Propolis	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Royal Jelly	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Mango	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Peach	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Pork	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Tomato	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No
Latex (natural rubber)	☐Yes / ☒No	☐Yes / ☒No	☐Yes / ☒No

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. For more information, please contact our Technical Service Dept at 800-521-3168.

CRC INDUSTRIES, INC.

Michelle Rudnick

Michelle Rudnick
Senior Manager Regulatory Affairs

Nonfood Compounds Program Listed

August 28, 2008

Ms. Suzanne Zefferi
CRC INDUSTRIES, INC.
885 LOUIS DRIVE
WARMINSTER, PA 18974
UNITED STATES

RE: CRC® Industrial Water Based Silicone
Category Code: H1
NSF Registration No. 140129

Dear Ms. Suzanne Zefferi:

NSF has processed the application for Registration of **CRC® Industrial Water Based Silicone** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2008), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website (www.nsfwhitebook.org).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing.

Sincerely,

Jennifer De France
NSF Nonfood Compounds Registration Program

Company No: N02027