

Food Grade Compliance Documentation

PRODUCT: ADOS Food Grade Silicone Sealant

Translucent

CODE/S: 3312

SIZE/S: 300g

THIS DOCUMENT CONTAINS:

- MSDS
- TSE/BSE statement
- NZ AsureQuality approval
- MPI approval
- TDS
- Allergen certificate



IN CASE OF EMERGENCY CALL: 09 278 7913

CRC INDUSTRIES NEW ZEALAND

Ph: 09 272 2700 Fax: 09 274 9696

Email: customerservices@crc.co.nz

Address: 10 Highbrook Drive, East Tamaki, Auckland

Chemwatch: 60-8769 Chemwatch Hazard Alert Code: 2

NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT

ADOS Food Grade Silicone Sealant

INGREDIENTS	CAS NO	%	TWA
distillates, petroleum, middle, hydrotreated	64742-46-7.	1-10	5 mg/m3
methyltri(methylethylketoxime)silane	22984-54-9	1-10	-
silica amorphous, fumed, crystalline free	112945-52-5	1-10	-

GHS DG



UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not **Applicable** Subsidiary Risk: Not Applicable Packing Group: Not

Applicable

PROPERTIES



Liquid. Does not mix with water. Floats on water. Combustible.

EMERGENCY









HEALTH HAZARD INFORMATION



Determined by Chemwatch using **GHS/HSNO**

6.5B (contact), 9.4B

criteria Signal word:

Warning

Hazard statement(s): H317 May cause an allergic skin reaction.

H442 Toxic to terrestrial invertebrates

PRECAUTIONS FOR USE











Appropriate engineering controls:	General Exhaust Ventilation adequate.
Glasses:	Safety Glasses. Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire. Dispose of this material and its container at hazardous or special waste collection point.

FIRST AID

Swallowed:	Rinse mouth with water.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm.
Advice To Doctor:	Treat symptomatically.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS















- **x** Must not be stored together
- May be stored together with specific preventions
- May be stored together

Chemwatch: 60-8769 Print Date: 18/08/2020 Issue Date: 01/11/2019



TSE/BSE Statement

All *Food Grade* products supplied by CRC Industries New Zealand are made from synthetic or manufactured materials and do not contain any raw materials produced or derived from substances of animal origin. The manufacturing processes do not use any ingredient of animal origin nor do the products come in contact with animal products during storage and transportation.

We declare that our products are Dioxin Free.

All products produced by CRC Industries NZ are free from:

- Transmissible Spongiform Encephalopathy (TSE) and
- Bovine Spongiform Encephalopathy (BSE)

Murray Walbran

Managing Director CRC Industries New Zealand Auckland, New Zealand

Issued: September 1, 2020







24/11/2015 H3590

CRC Industries Ltd, 10 Highbrook Drive East Tamaki Auckland Phone 09 272 2700, fax 09 2749696. Contact John Sokolich

email sokolichi@crc.co.nz

Global Proficiency Ltd for AsureQuality Ltd, Ruakura Research Centre, Hamilton East, P O Box 20474 Hamilton.

To whom it may concern,

Ados Food Grade Silicone Sealant Translucent,

- Product description: sealant (with fungicide)
- Product use: food area use

Passed AsureQuality assessment for food/beverage/dairy factory food areas non-contact H3590with conditions. This assessment was prepared by Global Proficiency Ltd using HACCP principles to determine equivalence with food standards listed below. See http://assessedproducts.asurequality.com/ This supports food Risk Management Programmes & other endorsements that may apply to this product include MPI regulated farm dairy approval, MPI dairy factory endorsement, MPI regulated non-dairy animal product approvals, EPA HSNO-OSHenvironment approval (& previously AQIS).

Conditions: (Fungicide wants care in disposal & trace TBT below concentration listed w/o condition in EPA NZ inventory).

- The products are sealants for non-contact in Cool Room/ Food Areas near food.
- Also for use according to instructions (data sheets, MSDS, other guidelines and GMP. .
- The assessment is subject to notification of change (e.g. in formulation, raw materials or instructions) and expires on 24/11/2020).
- The full report is attached for supplier review and verification. The assessment is activated by countersigning.

Prepared by Global Proficiency for AsureQuality Ltd	Reg Hulshinson
Supplier:	Date:

Scope and purpose of the assessment:

- · Asurequality assessment is a non-regulated, voluntary, and evidential certification by the supplier demonstrating equivalence with food safety standards, and also that product instructions address hazards for staff & equipment. The assessment is independently confirmed, without prejudice or guarantee, using information submitted by the supplier or from other sources. Confidentiality of the product formulation is maintained using coded material identifiers in the report, and appendices containing confidential information are provided only to the supplier.
- Scope: NZ checks (FSANZ, US FDA 21 CFR/ NSF, Food Chemicals Codex, EPA NZ, EU, French culinary listings or related data for equivalent safety). NZ background (Animal Products Act, Risk Management Programmes. Detergent & Sanitiser Manufacturer's Code of Practice) Detergent & Sanitiser Standards and Analytical Methods. Quality Manual -Assessment Procedures

Summary of assessment with risks highlighted:

- Information status & prior registrations (MPI C82 & new AsureQuality assessment).
- Food safety (is by food listings/ safety data for raw material monomers or components of polymer partly from EPA NZ. Raw 8 may be negatively listed on a food packaging list).
- QA & QC (ISO 9000 etc. is not required in this application. Micro safety is per antifungal and SGS test data on resistance to fungal growth for 28 days for Aspergillus n iger ATCC 9642, Penicilium pinophilum ATCC 11797, Chaetomium glogosum ATCC 6205, Gliocladium virens ATCC 9645, & Aureobasidium pullulans ATCC 15233).
- Instructions
- Label CRC Ados. Food Grade Silicone Sealant Translucent. neutral cure, White. AsureQuality approved food/ beverage/ dairy. MPI approved C82 non-dairy animal products packaging with on-contact. 100% Silicone. Mould & mildew resistant. Indoor & outdoor use. Low odour. UV resistant. Waterproof bonds and seals. A low modulus silicone joint sealant with 100% neutral cure. This highly flexible sealant contains additives to resist mould & mildew, with excellent adhesion to plastics, ceramics, stainless steel, metals & glass. For use in food, pharmaceutical & other clean environments where MPI & NZ AsureQuality certification is required, ideal for refrigerated rooms or household & commercial kitchens. Use directions are fully detailed & more detail for wet surfaces. Warning causes dye & skin irritation, avoid breathing vapour, use with adequate ventilation, wear suitable protective clothes, gloves & eye protection & wash hands thoroughly after handling. Panels completed for first aid and company contacts).
- Technical Reference (On mildew prevention with sanitary silicone sealant provides detailed information). Technical data sheet (provides technical data on the product).
- MSDS (HSNO hazardous substance. Signal warning. H317 May cause allergic skin reaction. Ados sealant toxicity data not available)
- Unwanted effects (Are not expected per food safety data, reported low odour, fungal resistance and distancing).
- Sealant performance (is beyond the scope of this report).

Contents (This is a simplified report with sections 2-11 replaced by a summary on p1 and in the table in section 1)

0 Information is to be evidential (std 0).	1 Materials safety and residues etc
2 Material (other – function)	3 Quality assurance certificate
4 Purity (or Design, formulation, fabrication and finish).	5 Instructions
6 Freedom from apparent side effects	7 Efficacy or hygiene to meet food safety margins
8 Packaging safety.	9 Summary of submitted information etc
10 Standards/References - front page/may be attached	11 Contacts.
12 Confidential information re design, formulation etc.	13 Covering letter & then 14 Raw material confidential
-	information

Risk Rating (failure/accident)

	Chemical	Microbiological		
Incidence	Low	Low		
Susceptibility	Low	Low (higher post heat treatment)		
Severity	Low	Low		
Total	Low	Low (higher post heat treatment)		

Evaluation: Note that Standards vs. submission-responses yield compliance status in each of the sections below.

Nature of information

O Standard: Assurance information is to be evidential/cross-registered/or ex accredited bodies (and approvals may need levels of independence for toxicity and efficacy).

• Information status & prior registrations (MPI C82 & new AsureQuality assessment).

Raw materials:

1 Standard:

Raw materials are to be identified safe: traceably identified, non-toxic, and pure - depending on the level of contact. Raw materials are to be safe at residue levels with safety factors (simplified here eg per cross-registration of USFDA 21 CFR/ ANZF/ EU etc registrations factored for likely equivalence and recognising high 1.5 L milk consumption would have been required by FDA etc - refers to supplier confidential appendix but with identifiers excluded Response

(CRC Industries Ltd) Ados Food Grade Silicone Sealant Translucent H3590 24-11-2015	Registrations column. Scope: NZ checks (NICNAS AICS/ EPA NZIoC, FSANZ, US FDA 21 CFR/ NSF, Food Chemicals Codex, EPA NZ, EU, French culinary listings or related data for equivalent safety). NZ background (Animal Products Act, Risk Management Programmes. Detergent & Sanitiser Manufacturer's Code of Practice) Detergent & Sanitiser Standards and Analytical Methods. Quality Manual - Assessment Procedures	Purity column PER NSF CROSS-CREDIT equivalent to normal scope:: Purity column raw purities to be per FSANZ purity wanted (as ingredient etc) FCC7 2010-2011 with GMP indicators & FSANZ also (require Pb<2, As<1, Heavy metals <40 mg/kg). Purity column.
NACCP analysis of instructions/ GMP	Instructions (Label CRC Ados. Food Grade Silicone Sealant. neutral cure, White. AsureQuality approved food/ beverage/ dairy. MPI approved C82 non-dairy animal products packaging with oncontact. 100% Silicone. Mould & mildew resistant. Indoor & outdoor use. Low odour. UV resistant. Waterproof bonds and seals. A low modulus silicone joint sealant with 100% neutral cure. This highly flexible sealant contains additives to resist mould & mildew, with excellent adhesion to plastics, ceramics, stainless steel, metals & glass. For use in food, pharmaceutical & other clean environments where MPI & NZ AsureQuality certification is required, ideal for refrigerated rooms or household & commercial kitchens. Use directions are fully detailed & more detail for wet surfaces. Warning causes dye & skin irritation, avoid breathing vapour, use with adequate ventilation, wear suitable protective clothes, gloves & eye protection & wash hands thoroughly after handling. Panels completed for first aid and company contacts) previously the filter sleeve/sock is recommended for one milking only.	Technical Reference (On mildew prevention with sanitary silicone sealant - provides detailed information). Technical data sheet (provides technical data on the product). MSDS (HSNO - hazardous substance. Signal warning. H317 May cause allergic skin reaction. Ados sealant toxicity data not available)
HACCP analysis of other aspects	Information status & prior registrations (MPI C82 & new AsureQuality assessment). Food safety (is by food listings/ safety data for raw material monomers or components of polymer partly from EPA NZ. Raw 8 may be negatively listed on a food packaging list). QA & QC (ISO 9000 etc. is not required in this application. Micro safety is per antifungal and SGS test data on resistance to fungal growth for 28 days for Aspergillus n iger ATCC 9642, Penicillium pinophilum ATCC 11797,	Unwanted effects (Are not expected per food safety data, reported low odour, fungal resistance and distancing). Sealant performance (is beyond the scope of this report).

	Chaetomium glogosum ATCC 6205, Gliocladium virens ATCC 9645, & Aureobasidium pullulans ATCC 15233).	
Standard: Old Dairy Industry Standard coatings checklist for which the critical element here is "does not release toxic material"as addressed in paragraphs below.	Coatings Standard for non-contact application (per previous MQM1 Approvals Manual lists): Monitor and advise any unsatisfactory performance(to authors). Clean-ability: able to be adequately cleaned by normal procedures (for that area of the premises) without damage to the surface. Free from cracks, crevices and have no soil collection areas. Resistant to water and water vapour. Resistant (inc. sheet wallboard jointers) with a low rate of moisture movement. Resistant to foods eg milk, cream, milk fat, whey, lactic acid, etc.	Resistant to chemicals (to 10% Sodium hydroxide nitric acid, phosphoric acid, sulphuric acid, iodophors, QAC, etc. Toxicity: does not release toxic material under finished use conditions. Durability to (chipping, flaking, or delamination. (Normal) heat and water, Machinery vibration. And regular cleaning and sanitising. Resistant to impact, to thermal shock etc. (including jointers to NZDRI criteria +/- 5mm or if climate controlled +/-2mm). Accounting for combinations of dry/wet, hot/cold, and severe conditions. Additional general assessment checks
Raw 1 Polymer	NICNAS AICS secondary notification n/a. EPA NZ listed & HSR003459 6.4A eye irritant, 9.4A very eco-toxic to terrestrial invertebrates. Man transient conjuctival irritation.Similar material has FSANZ FS Code 1.3.3.9 permitted lubricants, release and anti-stick agents & food residue within GMP & 1.3.3 unfound & 1.3.4 antifoam only found. 21CFR 173.340 defoamer 300-1050 cst/srC to 10 ppm not milk. 178.3570 similarly >300 cst addition fo food not to exceed 1 ppm/ 21 CFR 181.28 prior sanctioned food ingredients release agents 21 CFR 178.3570 300-600 cst/ 25C. NSF non-food programmed similar Silicone fluid AK350 & Wacker Slicone Fluid AD350, NSF H1 #135730, 135731.	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 2 Polymer	NICNAS AICS secondary notification n/a. EPA NZ listed & HSR003036 9.4A very eco-toxic to terrestrial invertebrates. Material has FSANZ FS Code 1.3.3.9 permitted lubricants, release and anti-stick agents & food residue within GMP & 1.3.3 unfound & 1.3.34 antifoam only found. 21CFR 173.340 defoamer 300-1050 cst/srC to 10 ppm not milk. 178.3570 similarly >300 cst addition fo food not to exceed 1 ppm/ 21 CFR 181.28 prior sanctioned food ingredients release agents 21 CFR 178.3570 300-600 cst/ 25C. NSF non-food programmed similar Silicone fluid AK350 & Wacker Slicone Fluid AD350, NSF H1 #135730, 135731.	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 3 Paraffinic HC	NICNAS AICS listed as not assessed. EPA NZ under Group Standard. Similar material This is per ANHMRC. FSANZ FS Code 1.3.1 schedule 2 SIMILAR FOUND & crosses to 1.3.3.3 and 1.3.3.11 (where NOT FOUND). NZDWS MAV NOT FOUND. 21CFR FOUND as direct food additive and processing aid.	Purity wanted (is per the column header) Purity found (is per aromatics loss by hydrotreating).
Raw 4 filler	EPA NZ under Group Standard FDA21CFR172.480 (178.3570 equivalent) & FSANZ FS Code 1.3.1 schedule 2 direct ingredient for processed food. Also 172.480	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 5 curing agent	EPA NZ under Group Standard & w/o toxicity data & FDA 21 CFR & FSAN Z FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 6 curing agent	EPA NZ under Group Standard & w/o toxicity data. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 7 sealant	EPA NZ under no HSR003831 w/o exclusions. 9.1C harmful in the aquatic environment. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Raw 8 carrier/other	EPA NZ under no HSR003610 w/o exclusions. 6/1B acutely toxic (inhalation and oral). 6.1C Acutely toxic (skin) 6.3A Irritating to skin. 6.4A Irritating to eyes. 6.9A oral toxicity to human target organs/ systems. 9.1A Very eco-toxic to aquatics. 9.3A Very eco-toxic to terrestrial vertebrates. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Pathogens needing to be controlled are listed here with pH growth ranges	pH growth ranges: B cereus 4.4-9.3, Campylobacter jejuni 4.9-9.0, C botulinum A & B 4.8-8.5 type E 5-8.5, C perfringens 5-8.9, Listeria monocytogenes 4.5-8.0, Salmonella 3.8-9,	Staph aureus 4.3-9.0, vibrio cholerae 6-11, vibrio parahaemolyticus 4.8-9, vibrio vulnificus 5-10, Yersinia enterolytica 4.4-9.6

[•] Food safety (is by food listings/ safety data for raw material monomers or components of polymer partly from EPA NZ.

12 The formulation in confidence follows & is not for public circulation

12 The formulation in confidence follows & is not for public circulation (CRC Industries Ltd) Ados Food Registrations column. Scope: NZ checks Purity column PER NSF CROSS-CREDIT (NICNAS AICS/ EPA NZIoC, FSANZ, US FDA 21 Grade Silicone Sealant Translucent equivalent to normal scope:: Purity column raw H3590 24-11-2015 CFR/ NSF, Food Chemicals Codex, EPA NZ, EU, purities to be per FSANZ purity wanted (as French culinary listings or related data for ingredient etc) FCC7 2010-2011 with GMP equivalent safety). NZ background (Animal indicators & FSANZ also (require Pb<2, As<1, Products Act, Risk Management Programmes. Heavy metals <40 mg/kg). Purity column. Detergent & Sanitiser Manufacturer's Code of Practice) Detergent & Sanitiser Standards and Analytical Methods. Quality Manual - Assessment Procedures Instructions (Label CRC Ados. Food Grade NACCP analysis of instructions/ GMP Technical Reference (On mildew prevention with Silicone Sealant. neutral cure, White. AsureQuality sanitary silicone sealant - provides detailed approved food/ beverage/ dairy. MPI approved information). Technical data sheet (provides C82 non-dairy animal products packaging with ontechnical data on the product). MSDS (HSNO contact. 100% Silicone. Mould & mildew resistant. hazardous substance. Signal warning. H317 May Indoor & outdoor use. Low odour. UV resistant. cause allergic skin reaction. Ados sealant toxicity Waterproof bonds and seals. A low modulus data not available) silicone joint sealant with 100% neutral cure. This highly flexible sealant contains additives to resist mould & mildew, with excellent adhesion to plastics, ceramics, stainless steel, metals & glass. For use in food, pharmaceutical & other clean environments where MPI & NZ AsureQuality certification is required, ideal for refrigerated rooms or household & commercial kitchens. Use directions are fully detailed & more detail for wet surfaces. Warning causes dye & skin irritation, avoid breathing vapour, use with adequate ventilation, wear suitable protective clothes, gloves & eye protection & wash hands thoroughly after handling. Panels completed for first aid and company contacts). Information status & prior registrations (MPI C82 & HACCP analysis of other aspects Unwanted effects (Are not expected per food new AsureQuality assessment). . Food safety (is safety data, reported low odour, fungal resistance by food listings/ safety data for raw material and distancing). Sealant performance (is beyond monomers or components of polymer partly from the scope of this report). EPA NZ. Raw 8 may be negatively listed on a food packaging list). QA & QC (ISO 9000 etc. is not required in this application. Micro safety is per antifungal and SGS test data on resistance to fungal growth for 28 days for Aspergillus n iger ATCC 9642, Penicilium pinophilum ATCC 11797, Chaetomium glogosum ATCC 6205, Gliocladium virens ATCC 9645, & Aureobasidium pullulans ATCC 15233) Standard: Old Dairy Industry Coatings Standard for non-contact application (per Resistant to chemicals (to 10% Sodium hydroxide, Standard coatings checklist for which previous MQM1 Approvals Manual lists): Monitor nitric acid, phosphoric acid, sulphuric acid, the critical element here is "does not iodophors, QAC, etc. Toxicity: does not release and advise any unsatisfactory performance..(to release toxic material" ..as addressed authors). Clean-ability: able to be adequately toxic material under finished use conditions. in paragraphs below. cleaned by normal procedures (for that area of the Durability to (chipping, flaking, or delamination. premises) without damage to the surface. Free (Normal) heat and water, Machinery vibration. And regular cleaning and sanitising. Resistant to from cracks, crevices and have no soil collection areas. Resistant to water and water vapour. impact, to thermal shock etc. (including jointers to Resistant (inc. sheet wallboard jointers) with a low NZDRI criteria +/- 5mm or if climate controlled +/rate of moisture movement. Resistant to foods eg 2mm). Accounting for combinations of dry/wet, hot/cold, and severe conditions. Additional general milk, cream, milk fat, whey, lactic acid, etc. assessment checks NICNAS AICS secondary notification n/a. EPA NZ Purity wanted (per column header). Purity found Hydroxy-terminated listed & HSR003459 6.4A eye irritant, 9.4A very polydimthylsiloxane CAS 70131-67-8 (Unfound & unrequired for this application). from Vital Technica 65% Raw 1 eco-toxic to terrestrial invertebrates. Man transient Polymer conjuctival irritation. Similar material has FSANZ FS Code 1.3.3.9 permitted lubricants, release and anti-stick agents & food residue within GMP & 1.3.3 unfound & 1.3.34 antifoam only found. 21CFR 173.340 defoamer 300-1050 cst/srC to 10 ppm not milk. 178.3570 similarly >300 cst addition fo food not to exceed 1 ppm/ 21 CFR 181.28 prior sanctioned food ingredients release agents 21 CFR 178.3570 300-600 cst/ 25C. NSF non-food programmed similar Silicone fluid AK350 & Wacker Slicone Fluid AD350, NSF H1 #135730, 135731 Polydimethylsiloxane CAS 63148-62-NICNAS AICS secondary notification n/a. EPA NZ Purity wanted (per column header). Purity found 9 from Vital Technica 15% Raw 2 listed & HSR003036 9.4A very eco-toxic to (Unfound & unrequied for this application). Polymer terrestrial invertebrates. Material has FSANZ FS Code 1.3.3.9 permitted lubricants, release and anti-stick agents & food residue within GMP & 1.3.3 unfound & 1.3.34 antifoam only found. 21CFR 173.340 defoamer 300-1050 cst/srC to 10 ppm not milk. 178.3570 similarly >300 cst addition

	fo food not to exceed 1 ppm/ 21 CFR 181.28 prior sanctioned food ingredients release agents 21 CFR 178.3570 300-600 cst/ 25C. NSF non-food programmed similar Silicone fluid AK350 & Wacker Slicone Fluid AD350, NSF H1 #135730, 135731.	
Hydrotreated middle petroleum distillatte Low odour paraffin solvent CAS 64742-46-7 from Vital Technica 5% Raw 3 Paraffinic HC	NICNAS AICS listed as not assessed. EPA NZ under Group Standard. Similar material This is per ANHMRC. FSANZ FS Code 1.3.1 schedule 2 SIMILAR FOUND & crosses to 1.3.3.3 and 1.3.3.11 (where NOT FOUND). NZDWS MAV NOT FOUND. 21CFR FOUND as direct food additive and processing aid.	Purity wanted (is per the column header) Purity found (is per aromatics loss by hydrotreating).
Fumed silica Silicon dioxide CAS 112945-52-5 Orisil 200 from Vital Technica Raw 4 filler	EPA NZ under Group Standard FDA21CFR172.480 (178.3570 equivalent) & FSANZ FS Code 1.3.1 schedule 2 direct ingredient for processed food. Also 172.480	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Methyltris(ethylmethylketoxime)silane CAS 22984-54-9 from Vital Technica Raw 5 curing agent	EPA NZ under Group Standard & w/o toxicity data & FDA 21 CFR & FSAN Z FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Vinyltris(ethylmethylketoxime)silane CAS 2224-33-1 from Vital Technica Raw 6 curing agent	EPA NZ under Group Standard & w/o toxicity data. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
N-(2-aminomethyl)-3-aminopropyl- trimethoxysilane CAS 1760-24-3 from Vital Technica Raw 7 sealant	EPA NZ under no HSR003831 w/o exclusions. 9.1C harmful in the aquatic environment. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Dibutyl Tin Dilaurate CAS 77-58-7 from Vital Technica 0.34% Raw 8 carrier/other	EPA NZ under no HSR003610 w/o exclusions. 6/1B acutely toxic (inhalation and oral). 6.1C Acutely toxic (skin) 6.3A Irritating to skin. 6.4A Irritating to eyes. 6.9A oral toxicity to human target organs/ systems. 9.1A Very eco-toxic to aquatics. 9.3A Very eco-toxic to terrestrial vertebrates. FDA21CFR & FSANZ FS Code unfound	Purity wanted (per column header). Purity found (Unfound & unrequired for this application).
Pathogens needing to be controlled are listed here with pH growth ranges	pH growth ranges: B cereus 4.4-9.3, Campylobacter jejuni 4.9-9.0, C botulinum A & B 4.8-8.5 type E 5-8.5, C perfringens 5-8.9, Listeria monocytogenes 4.5-8.0, Salmonella 3.8-9,	Staph aureus 4.3-9.0, vibrio cholerae 6-11, vibrio parahaemolyticus 4.8-9, vibrio vulnificus 5-10, Yersinia enterolytica 4.4-9.6





24/11/2015 H3590

CRC Industries Ltd, 10 Highbrook Drive East Tamaki Auckland Phone 09 272 2700, fax 09 2749696. Contact John Sokolich email sokolichj@crc.co.nz

Global Proficiency Ltd for AsureQuality Ltd, Ruakura Research Centre, Hamilton East, P O Box 20474 Hamilton.

Dear John Sokolich,

Please find attached the assessment report for any questions or corrections and the invoice and web listing should follow. This is a cover letter and not part of the report.

Ados Food Grade Silicone Sealant Translucent

- Product description: sealant (with fungicide)
- Product use: food area use
- Status: This passed new AsureQuality assessment for factories of cost of w hour \$150 + GST on 24/11/2015. CRC note that tributyltin is negatively listed for Fonterra packaging so suggest it may be fair to acknowledge present or please correct this draft. Agree the use in robust polymer as non-contact sealant may be relatively safe if disposed of responsibly).

Passed AsureQuality assessment for food/beverage/dairy factory food areas non-contact H3590with conditions. This assessment was prepared by Global Proficiency Ltd using HACCP principles to determine equivalence with food standards listed below. See http://assessedproducts.asurequality.com/ This supports food Risk Management Programmes & other endorsements that may apply to this product include MPI regulated farm dairy approval, MPI dairy factory endorsement, MPI regulated non-dairy animal product approvals, EPA HSNO-OSH-environment approval (& previously AQIS).

Conditions: (Fungicide wants care in disposal & trace TBT below concentration listed w/o condition in EPA NZ inventory).

- The products are sealants for non-contact in Cool Room/ Food Areas near food.
- Also for use according to instructions (data sheets, MSDS, other guidelines and GMP.
- The assessment is subject to notification of change (e.g. in formulation, raw materials or instructions) and expires on 24/11/2020).
- The full report is attached for supplier review and verification. The assessment is activated by countersigning.

Prepared by Global Proficiency for AsureQuality Ltd...

9 December 2015

1 4 DEC 2015

CRC Industries New Zealand PO Box 204267 Highbrook Manukau 2161

Trade Name:

Ados Food Grade Sealant Translucent

Description:

Sealant

Code:

C 82

Approvals:

This compound is approved for use in premises processing all animal product except dairy, operating under the Animal products Act regime.

This approval is under the following regulations and notices, subject to the conditions stated in this approval:

- 1. Regulation 11(4)(b) of the Animal Products Regulations 2000 and Regulation 18(4)(b) of the Animal Products (Regulated Control Scheme Limited Processing Fishing Vessels) Regulations 2001
- Clause 4(1) of the Animal Products (Specifications for Limited Processing Fishing Vessels) Notice 2005, Clause 3(1) of the Animal Products (Specifications for Products Intended for Human Consumption) Notice 2004, clause 4(1) of the Animal Products (Specifications for Products Intended for Animal Consumption) Notice 2006

Conditions:

1. This material is for packaging only and must not come in contact with edible products.

This approval may be withdrawn at any time due to unapproved directions for use, or unsatisfactory performance, or any change in product formulation. The Branch Planning, Systems & Support Directorate must be notified if the holder of this approval wishes to transfer their products to another entity.

The product must be used in accordance with the manufacturer's instructions and specifications. The label may include a statement to the effect that the product is approved for use in premises registered under the Animal Products Act regime. Any statements made, however, must include the approval code and must be limited to the following unless otherwise specified:

MPI Approved C 82 (All animal product except dairy)

Note: Former NZFSA statements must be removed from your labels.

This approval must not be used as a Ministry for Primary Industries (MPI) endorsement of any claim made for the product by the manufacturer.

This approval will remain valid until 31 October 2021 unless the approval is revoked by notice in writing at an earlier stage.

Any queries regarding this approval should be directed to MPI Approvals by either telephone on 04 894 2550 or by e-mail at approvals@mpi.govt.nz.

Yours sincerely,

Maree Zinzley

Manager Approvals Operations

Branch Planning Systems and Support

Ministry for Primary Industries Manatū Ahu Matua



Date: 9 December 2015

Official Receipt G.S.T. 64-558-838

Received from: CRC Industries New Zealand

Maintenance compound approval fee for: Ados Food Grade Sealant Translucent

Sum of: **\$178.25** MPI General Ledger Code: 1640 2201



ALLERGEN CERTIFICATE

Date: July 28th, 2020

Product Number: 3312, 3310, 3314

Product Name: ADOS Food Grade Silicone Sealant

The Australia New Zealand Food Safety Code requires the identification of allergens present in food products. The presence of allergens in food grade processing aids including lubricants must be declared.

CRC Industries provides the following allergen information for the product(s) listed above.

Allergen	Present in Product	Present on Same Production Line	Present in Facility
Milk Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Soy Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peanut Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Egg Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tree Nut Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Sesame Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mustard Seed	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Bee Pollen / Propolis	□Yes / ⊠No	□Yes / ⊠No	□Yes /⊠No
Seafood and Shellfish	□Yes / ⊠No	□Yes / ⊠No	□Yes /⊠No
Sulphites	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Buckwheat	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Celery	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Cereal or Gluten Products	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Lupin	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Royal Jelly	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Mango	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Peach	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Pork	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Tomato	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No
Latex	□Yes / ⊠No	□Yes / ⊠No	□Yes / ⊠No

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate.

For more information, please contact our Technical Service Department at 09 2722700.

ADOS Food Grade Sealant - Translucent

CRC Industries NZ, Auckland NZ

I. Product Description

ADOS Food Grade Sealant is a low modulus silicone joint sealant with 100% neutral cure. This highly flexible sealant contains additives to resist mould and mildew, with excellent adhesion to plastics, ceramics, stainless steel, metals and glass. It is specially formulated for use in food, pharmaceutical and other clean environments where MPI certification is required, ideal for refrigerated rooms or household and other commercial uses.

II. Features & Benefits

- MPI Approved C82
- NZ AsureQuality Approved
- Highly flexible with excellent adhesion
- Works on Wet & Dry Surfaces
- Mould & Mildew resistant
- Waterproof seal

III. Uses

- Ideal for use in food, pharmaceutical and other clean environments where MPI certification is required
- Excellent adhesion to plastics, ceramics, stainless steel, metals glass, aluminum, kitchen and bathroom fixtures, porcelain, showers, sinks, tiles

IV. Application and Directions

Directions:

- Surface must be clean and dry before application.
- Use mechanical or solvent cleaning. Do not use soap or detergent.
- Use masking tape to cover surfaces and joints to simplify cleaning.
- If surface requires primer, the primer must be dry before applying sealant.
- Before placing cartridge in application gun, slice nozzle at 45 degree angle at desired bead size
- Press nozzle against surface and apply sealant.
- Tool to eliminate all voids within 5 minutes of applying sealant. Tack-free time is 1 hour.
- Sealant will fully cure in 72 hours.
- Remove masking tape within 1 hour. Any uncured sealant can be cleaned up with mineral turpentine.
- Cured product can be removed with ADOS Silicone Remover.

Wet Materials:

- Remove surface water as much as possible.
- Keep nozzle close to surface so extruding sealant immediately contacts the surface.
- Tool the sealant immediately into joint
- Adhesion will improve on drying. Where adhesion is difficult, wipe the surface with solvent and apply sealant to partially dry substrate.
- Food Grade Sealant will seal on non-porous surfaces such as glass, metal and tiles, but
 adhesion to porous substances such as cement and timber may not be possible while wet.

V. Typical Properties and Characteristics

Physical Properties & Performance Characteristics:



ADOS Food Grade Sealant - Translucent

CRC Industries NZ, Auckland NZ

Composition	Silicone polymer
Curing Method	Neutral (Oxime)
Colour	Translucent
Service Temperatures	-60°C to +150°C
Peel Strength (ASTM C794)	2.9 kN/m
Hardness (Shore A)	20-35
Sag / slump (w = 20mm)	< 1mm
Tensile Strength	≥ 1.0 MPa
Dynamic Joint Movement	± 25%
Density	1.04
Tooling Time	6-20 minutes
Toxicity	Not suitable for fish tanks
Tack Free Time	20 minutes
Cure Time (5mm, 20°C / 55%RH)	2 days

Estimating Requirements - linear metres per cartridge for various joint dimensions:

Depth mm	Width mm						
	3.3	6.4	9.7	12.7	16.0	19.2	25.4
3.3	29.7	14.88	9.93	7.44	5.94	4.97	3.72
4.9		9.93	6.64	4.97	3.96	3.31	2.48
6.4		7.42	4.97	3.72	2.97	2.49	1.86
9.7			3.31	2.48	1.98	1.64	1.23

VI. Package Description

Part Number Size

3312 300GM Cartridge

VII. Special Precautions

General:

Uncured sealant may cause skin, eye and respiratory system irritation.

Use only in well ventilated areas.

Use appropriate personal protection to avoid contact with skin and eyes.

First Aid:

In case of eye contact or irritation, flush eye immediately with running water for 15 minutes and get medical attention.

In case of skin contact, wash affected areas with hand cleaner followed by soap and water. Product releases acetic during application and curing. For further health and safety information consult current Material Safety Data Sheer.



ADOS Food Grade Sealant - Translucent

CRC Industries NZ, Auckland NZ

PRODUCT WARRANTY: CRC offers a conditional warranty of this product for the period of 2 years from the date of manufacture.

DISCLAIMER: All information on this data sheet is based on testing by CRC Industries NZ. All products should be tested for suitability on a particular application prior to actual use. CRC Industries makes no representations or warranties of any kind concerning this data.